



# EFFECTIVE CLEANING SOLUTIONS

VACUUM CLEANER'S






# 3 PHASE INDUSTRIAL VACUUM CLEANER

Introducing our cutting-edge **three-phase industrial vacuum cleaner**, meticulously engineered for **continuous 24/7 operation**. Designed with our own easy-to-use interface and built for robustness and reliability, this powerhouse machine ensures uninterrupted performance in even the most demanding industrial environments.

Our advanced vacuum cleaner features a **STAR filtration system** that efficiently captures dust, debris, and contaminants, maintaining a clean and safe workspace. With **high-performance induction-based motors**, it delivers exceptional suction power and is designed for continuous runtime without interruption. The machine can be easily customized to meet your specific needs, including options for **flameproof materials, a whole stainless steel body, HEPA filtration, and adjustable tank sizes**.

For added convenience, the hose pipe can be extended up to **50 meters**, allowing for flexibility in various cleaning scenarios. Invest in efficiency, productivity, and peace of mind with our three-phase industrial vacuum cleaner—the ultimate solution for round-the-clock cleaning needs.




## Specialization:

<b>Explosion-proof Turbine motor</b>  Isolated explosion-proof motor & controller Explosion-proof grade ExIIIBT4Gb	<b>General Motors</b>  No explosion-proof certification, poor power effect, easy to fly powder	
<b>*Flameproof Machine</b> 		
<b>*Complete S.S Body</b> 		
 Anti-explosion brushless motor	 Continuous work	 Thick barrel material
 Negative pressure observation table	 Manual Filter shaker	 Large capacity dust bucket
 Dust-proof silencing chamber	 Anti-static filter system	Continuous Work, STAR Filtration System, Manual Filter Shaker, Large Capacity Dust Bucket
* Can be customized on Special Orders		

## Make Specification:

MODEL	TCI 3KSC 3HP	TCI 5KSC 5HP	TCI 7.5KSC 7.5HP
Motor (3 Phase) HP /KW	3 / 2.2	5 / 3.7	7.5 / 5.6
Suction Power MM.WG	2700 Wg.	3500 Wg.	4000 Wg.
Air Flow Cubic Mtr. / Hrs	270m3 /hrs.	320m3 /hrs	400m3 /hrs
Container Capacity	110 Ltr	110 Ltr	110 Ltr
Body MOC / Container MOC	MS /304SS	MS /304SS	MS /304SS
Weight	95KG (Approx)	125 KG (Approx)	165 KG (Approx)
Wet / Dry Application	Dry Application	Dry Application	Dry Application
Hose Size	40mm ( Optional Available - upto 100mm)		

## Accessories:





### TCI VC 15 WET & DRY VACUUM CLEANER (S.S.)



- High Grade S.S tank
- Available with all Accessories
- Lightweight and portable for effortless maneuverability
- Double Stage Motor helps machine to do cleaning tasks easily.
- Powerful suction despite its small size with continuous run time upto 50 mins.

### TCI VC 30 WET & DRY VACUUM CLEANER (S.S.)



- Spacious 30-liter capacity for extended cleaning sessions
- Maintains a compact design for convenient storage and usage
- Versatile attachments cater to various cleaning tasks
- Double Stage Motor helps machine to do cleaning tasks easily.
- Robust motor delivers powerful suction for thorough cleaning upto 50 mins.

### TCI VC 60 (2 /3) WET AND DRY VACUUM CLEANER (S.S.)



- High Capacity for extensive cleaning.
- Dual or triple motors for strong suction.
- Double Stage Motor helps machine to do cleaning tasks easily.
- Comprehensive Attachments & various tools.
- Easy maintenance and intuitive controls.
- Powerful motor for continuous operation upto 50 mins.

### TCI VC 803 WET AND DRY VACUUM CLEANER (S.S.)



- Single-phase heavy-duty industrial vacuum cleaner with 80-liter capacity, ideal for robust suction in commercial and industrial settings.
- Double Stage-Armature based Motor with High suction Power Runs continuously for up to 50 min before needing to be emptied.
- Equipped with a trolley for easy movement across work areas.
- High-performance filters for diverse debris types.

## Specification:

	TCI VC 15	TCI VC 30	TCI VC 60 (2 /3)	TCI VC 803
Function	WET AND DRY	WET AND DRY	WET AND DRY	WET AND DRY
Capacity	15 ltr	30 ltr	60 ltr	80 ltr
Power	1100 W	1100 W	2000W,3000 W	3000 W
Voltage	220 v	220 v	220 v	220 v
Height	55 cm	76 cm	90 cm	90 cm
Tank Diameter	345 mm	345 mm	440mm	440 mm
Mode of cooling	MCirculating Air	Circulating Air	Circulating Air	Circulating Air
Air Flow Rate	48 l/s	53 l/s	106 l/s	106 l/s
Vacuum Suction	210 mbar	230 mbar	250 mbar	250 mbar
Length of the Cable	7 mtr	L7 mtr	8 mtr	8 mtr
HoseDiameter	36 mm	40 mm	40 mm	40 mm
Packing Dimensions	43*43*61cm	43*43*81cm	59*52*96cm	59*52*105.5 cm





## TCI V 802 WALK BEHIND WET VACUUM CLEANER

Capacity	: 80 ltr
Power	: 2000 W
Voltage	: 220-240 v
Air Flow Rate	: 106 l/s
Vacuum Suction	: 250 mbar
Length of the Cable	: 8 mtr
Hose Diameter	: 40 mm
Function	: WET AND DRY
Height	: 100cm
Tank Diameter	: 440 mm



## TCI V 802 WALK BEHIND DRY VACUUM CLEANER



Capacity	: 80 ltr
Power	: 2000 W
Voltage	: 220-240 v
Air Flow Rate	: 106 l/s
Vacuum Suction	: 250 mbar
Length of the Cable	: 8 mtr
Hose Diameter	: 40 mm
Function	: WET AND DRY
Height	: 100cm
Tank Diameter	: 440 mm





## TCI VC 15 P WET & DRY VACUUM CLEANER (PLASTIC)

Function	: WET AND DRY
Capacity	: 15 ltr
Power	: 1100 W
Voltage	: 220 v
Height	: 55 cm
Tank Diameter	: 345 mm
Mode of cooling	: Circulating Air
Air Flow Rate	: 48 l/s
Vacuum Suction	: 210 mbar
Length of the Cable	: 7 mtr
Hose Diameter	: 36 mm
Packing Dimensions	: 43*43*61 cm



## TCI VC 30 P WET & DRY VACUUM CLEANER (PLASTIC)

Function	: WET AND DRY
Capacity	: 30 ltr
Power	: 1100 W
Voltage	: 220 v
Height	: 765 cm
Tank Diameter	: 345 mm
Mode of cooling	: Circulating Air
Air Flow Rate	: 53 l/s
Vacuum Suction	: 230 mbar
Length of the Cable	: 7 mtr
Hose Diameter	: 40 mm
Packing Dimensions	: 43*43*81 cm

## TCI VC 10 LOW NOISE DRY VACUUM CLEANER

Function	: WET AND DRY
Capacity	: 10 ltr
Power	: 1100 W
Voltage	: 220 v
Height	: 32 cm
Tank Diameter	: 345 mm
Mode of cooling	: Circulating Air
Air Flow Rate	: 48 l/s
Vacuum Suction	: 210 mbar
Length of the Cable	: 7 mtr
Hose Diameter	: 36 mm
Packing Dimensions	: 38*38*55 cm





## TCI – UR 5L UPRIGHT VACUUM CLEANER

Function	: DRY
Air Flow Rate	: 48 l/s
Dust Volume	: 5.5 L
Rolling Brush Motor Power	: 200 W
Rolling Speed	: 2000 W
Noise	: 80dB
Vacuum Suction	: 190mbar
Voltage	: 220VAC / 50 Hz
Suction Motor Power	: 1200 w
Packing Size	: 847 x 335 215mm



## TCI LH – 10 CORDLESS VACUUM CLEANER

Width of the roller brush	: 26 cm
Height of the handle	: 48 cm
Self Cleaning system	: Available
Batter Capacity	: 2600 mAh
Battery Type	: Lithium
Clean Water Spraying System	: Available



# TCI BP 1000 BACKPACK VACUUM CLEANER

Function	: Dry
Capacity	: 5 ltr
Power	: 1000 W
Voltage	: 110 v /220 v
Noise	: 62 Db
Air Flow Rate	: 48 l/s
Vacuum Suction	: 190 mbar
Length of the Cable	: 18 mtr
HoseDiameter	: 36 mm






# TCI BP 1100 BACKPACK VACUUM CLEANER

Function	: Dry With Heppa Filter
Capacity	: 5 ltr
Power	: 1100 W
Voltage	: 110 v /220 v
Noise	: 62 Db
Air Flow Rate	: 48 l/s
Vacuum Suction	: 190 mbar
Length of the Cable	: 18 mtr
HoseDiameter	: 36 mm







-  158/H, Makarpura GIDC, Behind Manjalpur Police Station,  
Makarpura, Vadodara, Gujarat - 390010
-  +91-9510236332 / 8401916766
-  sales@tciproduct.com / info@tciproduct.com

Other Branch:

Name:

PH:

